Amendments to the Claims

1. (previously amended) A compound of Formula (I)

or a pharmaceutically acceptable salt or solvate thereof wherein

 A^1 and A^2 are each independently C_{1-4} alkylene or a bond;

A³ is a bond, C₁₋₄alkylene or C₁₋₄alkylidene;

 A^4 is C_{1-4} alkylene or a bond and is attached to X, X^1 or X^2 ;

 X, X^1, X^2 and X^3 are independently C or CH;

J is C1-alkyl;

p is 0 or 1;

 R^1 and R^2 are independently H, C_{1-3} alkyl, C_{3-6} cycloalkyl, phenyl, -O-phenyl, -N(H)C(O)O- C_{1-4} alkyl or C_{1-4} alkyl-N(H)C(O)O-;

said C₃₋₆cycloalkyl, phenyl or O-phenyl being independently and optionally substituted with C₁₋₄alkyl, C₁₋₃alkoxy, indolyl or halo:

wherein said indolyl is optionally substituted by halo or cyano;

or are independently selected from the group of heterocyclic moieties consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁.

4alkyl, C₁.4alkoxy or cyano;

or wherein -A¹-R¹ and -A²-R² together with the nitrogen to which they are attached form pyrrolidinyl, piperidinyl, piperazinyl, morpholino, dihydroquinolinyl, tetrahydroquinolinyl, dihydroisoquinolinyl or tetrahydroisoquinolinyl and are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy, cyano or benzyl;

 R^3 is H or C_{1-4} alkyl;

m is 0 or 1;

 R^4 and R^5 are independently hydrogen, cyano, halo, nitro, $C_{1\text{--}3}$ alkyl or $C_{1\text{--}3}$ aperfluoroalkyl;

wherein said R^4 or R^5 may be independently attached to G^1 , X, X^1 , X^2 or X^3 ;

n is 0 or 1;

G is N, O or S;

G1 is N. C or CH;

Y is (D)H wherein D is C; and

Z is (E)H wherein E is C;

provided that

both R⁴ and R⁵ are not attached to the same of said G¹, X, X¹, X² or X³;

if G is O or S, then m is 0:

if G is N, then m is 1;

- if R₁ is C₃₋₆cycloalkyl, phenyl or O-phenyl being independently and optionally substituted with C₁₋₄alkyl, C₁₋₃alkoxy, indolyl or halo; wherein said indolyl is optionally substituted by halo or cyano, then R₂ is H or C₁₋₃alkyl;
- if R₂ is C₃₋₆cycloalkyl, phenyl or O-phenyl being independently and optionally substituted with C₁₋₄alkyl, C₁₋₃alkoxy, indolyl or halo; wherein said indolyl is optionally substituted by halo or cyano, then R₁ is H or C₁₋₃alkyl;
- if -A¹-R¹ and -A²-R² together with the nitrogen to which they are attached form pyrrolidinyl, piperidinyl, piperazinyl, morpholino, dihydroquinolinyl, tetrahydroquinolinyl, dihydroisoquinolinyl or tetrahydroisoquinolinyl and are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy, cyano or benzyl, then p is 0;
- if R¹ is -N(H)C(O)OC₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or said heterocyclic moiety wherein said heterocyclic moiety contains a nitrogen atom and said nitrogen atom is attached to A¹, then A¹ is C₂₋₄alkylene;
- if R^2 is -N(H)C(O)OC₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or said heterocyclic moiety wherein said heterocyclic moiety contains a nitrogen atom and said nitrogen atom is attached to A^2 , then A^2 is C₂₋₄alkylene;
- if R¹ is N(H)C(O)O-C₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or a heterocyclic moiety selected from the group consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are

optionally substituted with halo, C_{1-4} alkyl, C_{1-4} alkoxy or cyano, then R^2 is H or C_{1-3} alkyl;

if R² is -N(H)C(O)O-C₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or a heterocyclic moiety selected from the group consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, pyrazolidinyl, pyrazolidinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy or cyano, then R¹ is H or C₁₋₃alkyl;

if R⁴ or R⁵ are attached to G¹, then G¹ is C;

if A⁴, R⁴ or R⁵ are attached to X, then X is C;

if A⁴, R⁴ or R⁵ are attached to X¹, then X¹ is C;

if A⁴, R⁴ or R⁵ are attached to X², then X² is C;

if R⁴ or R⁵ are attached to X³, then X³ is C.

- 2. (original) A compound according to claim 1 wherein p is 0.\
- 3. (original) A compound according to claim 1 wherein G is N and G1 is CH.
- 4. (original) A compound according to claim 1 wherein G is S and G1 is CH.
- 5. (original) A compound according to claim 1 wherein G is N and G^1 is N.
- 6. (original) A compound according to claim 1 wherein G is S and G1 is N.
- 7. (original) A compound according to claim 1 wherein G is O and G1 is N.
- 8. (original) A compound according to claim 1 wherein \mathbb{R}^1 is methyl and \mathbb{R}^2 is methyl.
- 9. (original) A compound according to claim 1 wherein R¹ is H and R² is C₃₋₆cycloalkyl wherein said C₃₋₆cycloalkyl is substituted with indolyl and wherein said indolyl is optionally substituted by halo or cyano.
- 10. (original) A compound according to claim 1 wherein A^1 is a bond, R^1 is methyl, A^2 is a bond and R^2 is methyl.

- 11, (original) A compound according to claim 1 wherein R³ is H and m is 1.
- 12. (original) A compound according to claim 1 wherein R³ is methyl and m is 1.
- 13. (original) A compound according to claim 1 wherein R⁴ and R⁵ are halo.
- 14. (original) A compound according to claim 1 wherein R⁴ is C₁₋₃alkyl and is attached to G¹.
- 15. (original) A compound according to claim 1 wherein R⁴ is C₁₋₃perfluoroalkyl and is attached to G¹.
- 16. (original) A compound according to claim 1 wherein R⁴ is hydrogen.
- 17. (original) A compound according to claim 1 wherein R⁴ is fluoro.
- 18. (original) A compound according to claim 1 wherein R4 is cyano.
- 19. (original) A compound according to claim 1 wherein R⁴ and R⁵ are each fluoro.
- 20. (original) A compound according to claim 1 wherein the hydrogen atom attached to D is in the *trans* configuration to the hydrogen atom attached to E.
- 21. (original) A compound according to claim 1 wherein the hydrogen atom attached to D is in the *cis* configuration to the hydrogen atom attached to E.
- 22. (original) A compound according to claim 1 wherein D in relation to the four moieties to which it is attached has an absolute configuration of S; E in relation to the four moieties to which it is attached has an absolute configuration of S.
- 23. (original) A compound according to claim 1 wherein D in relation to the four moieties to which it is attached has an absolute configuration of S; E in relation to the four moieties to which it is attached has an absolute configuration of R.
- 24. (original) A compound according to claim 1 wherein D in relation to the four moieties to which it is attached has an absolute configuration of R; E in relation to the four moieties to which it is attached has an absolute configuration of S.
- 25. (original) A compound according to claim 1 wherein D in relation to the four moieties to which it is attached has an absolute configuration of R; E in relation to the four moieties to which it is attached has an absolute configuration of R.
- 26. (original) A compound according to claim 1 wherein A³ is C₁₋₄alkylene.
- 27. (original) A compound according to claim 1 wherein A³ is C₁₋₄alkylidene.
- 28. (original) A compound according to claim 1 wherein A³ is methylene.
- 29. (original) A compound according to claim 1 wherein A³ is a bond.
- 30. (original) A compound according to claim 1 wherein A⁴ is a bond.

- 31. (original) A compound according to claim 1 wherein A⁴ is methylene.
- 32. (original) A compound according to claim 1 wherein A⁴ is attached X¹.
- 33. (original) A compound according to claim 1 wherein A⁴ is attached X.
- 34. (original) A compound according to claim 1 wherein R⁴ is attached X.
- 35. (original) A compound according to claim 1 wherein \mathbb{R}^4 is attached \mathbb{X}^1 .
- 36. (original) A compound according to claim 1 wherein R⁴ is cyano or halo and n is 0.
- 37. (original) A compound according to claim 1 wherein R¹ is independently selected from the group of heterocyclic moieties consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy or cyano; A¹ is C₁₋₄alkylene; R² is H or C₁₋₃alkylene; and A² is a bond.
- 38. (original) A compound according to claim 1 wherein R¹ is independently selected from the group of heterocyclic moieties consisting of thienyl, imidazolyl, pyridyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, tetrahydroquinolinyl and tetrahydroisoquinolinyl; A¹ is C₁₋₄alkylene; R² is H or C₁₋₂alkylene; and A² is a bond.
- 39. (original) A compound according to claim 1 wherein R² is independently selected from the group of heterocyclic moieties consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy or cyano; A² is C₁₋₄alkylene; R¹ is H or C₁₋₃alkylene; and A¹ is a bond.
- 40. (original) A compound according to claim 1 wherein R² is independently selected from the group of heterocyclic moieties consisting of thienyl, imidazolyl, pyridyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, tetrahydroquinolinyl and tetrahydroisoquinolinyl; A² is C₁₋₄alkylene; R¹ is H or C₁₋₃alkylene; and A¹ is a bond.

MAY. 5.2006

USSN 10/662,493 CT2752NP

41. (original) A compound according to claim 1 wherein R¹ and R² are independently H, C₁.

3alkyl, C₃₋₆cycloalkyl, phenyl, -O-phenyl, or -N(H)C(O)O-C₁₋₄alkyl.

- 42. (original) A compound according to claim 1 wherein R¹ and R² are independently H, C₁. 3alkyl, or -N(H)C(O)O-C₁.4alkyl.
- 43. (original) A compound according to claim 1 wherein R¹ and R² are independently H, C₁. 3alkyl, C₃₋₆cycloalkyl, phenyl, or -O-phenyl.
- 44. (original) A compound according to claim 1 wherein R¹ and R² are independently H, C₁. 3alkyl, or are independently selected from the group of heterocyclic moieties consisting of thienyl, imidazolyl, pyridyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, tetrahydroquinolinyl and tetrahydroisoquinolinyl.
- 45. (original) A compound according to claim 1 wherein R² is H or C₁₋₃alkyl and R¹ is C₃₋₆cycloalkyl, phenyl, -O-phenyl, or -N(H)C(O)O-C₁₋₄alkyl.
- 46. (original) A compound according to claim 1 wherein R² is H or C₁₋₃alkyl and R¹ is N(H)C(O)O-C₁₋₄alkyl.
- 47. (original) A compound according to claim 1 wherein R² is H or C₁₋₃alkyl and R¹ is C₃₋₆cycloalkyl, phenyl or -O-phenyl.
- 48. (original) A compound according to claim 1 wherein R² is H or C₁₋₃alkyl and R¹ is selected from the group of heterocyclic moieties consisting of thienyl, imidazolyl, pyridyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, tetrahydroquinolinyl and tetrahydroisoquinolinyl.
- 49. (original) A compound according to claim 1 wherein R¹ is H or C₁₋₃alkyl and R² is C₃₋₆cycloalkyl, phenyl, -O-phenyl, or -N(H)C(O)O-C₁₋₄alkyl.
- 50. (original) A compound according to claim 1 wherein R¹ is H or C₁₋₃alkyl and R² is N(H)C(O)O-C₁₋₄alkyl.
- 51. (original) A compound according to claim 1 wherein R¹ is H or C₁₋₃alkyl and R² is C₃₋₆cycloalkyl, phenyl or -O-phenyl.
- 52. (original) A compound according to claim 1 wherein R¹ is H or C₁₋₃alkyl and R² is selected from the group of heterocyclic moieties consisting of thienyl, imidazolyl, pyridyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, tetrahydroquinolinyl and tetrahydroisoquinolinyl.

53. (original) A compound according to claim 1 wherein -A¹-R¹ and -A²-R² together with the nitrogen to which they are attached form pyrrolidinyl, piperidinyl, piperazinyl, morpholino, tetrahydroquinolinyl or tetrahydroisoquinolinyl and are optionally substituted with benzyl.

54. (previously amended) A compound according to claim 1 wherein

 A^1 and A^2 are each independently $C_{1.4}$ alkylene or a bond;

A3 is C1-4alkylene;

A⁴ is bond and is attached to X or X¹;

X and X¹ are each independently C or CH;

X² and X³ are each CH:

p is 0;

MAY. 5.2006 10:00AM

 R^1 and R^2 are independently H, C_{1-3} alkyl, C_{3-6} cycloalkyl, phenyl, -O-phenyl, -N(H)C(O)O- C_{1-4} alkyl or C_{1-4} alkyl-N(H)C(O)O-;

said C₃₋₆cycloalkyl, phenyl or O-phenyl being independently and optionally substituted with C₁₋₄alkyl, C₁₋₃alkoxy or halo;

- or are independently selected from the group of heterocyclic moieties consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolidinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁.

 4alkyl, C₁₋₄alkoxy or cyano;
- or wherein -A¹-R¹ and -A²-R² together with the nitrogen to which they are attached form pyrrolidinyl, piperidinyl, piperazinyl, morpholino, dihydroquinolinyl, tetrahydroquinolinyl, dihydroisoquinolinyl or tetrahydroisoquinolinyl and are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy, cyano or benzyl;

R³ is H or C₁₋₄alkyl;

m is 1:

 R^4 is hydrogen, cyano, halo, nitro, C_{1-3} alkyl or C_{1-3} perfluoroalkyl and is attached to X or X^1 ;

n is 0;

G is N;

G1 is CH:

Y is (D)H wherein D is C; and

Z is (E)H wherein E is C;

provided that

- if R¹ is -N(H)C(O)OC₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or said heterocyclic moiety wherein said heterocyclic moiety contains a nitrogen atom and said nitrogen atom is attached to A¹, then A¹ is C₂₋₄alkylene;
- if R² is -N(H)C(O)OC₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or said heterocyclic moiety wherein said heterocyclic moiety contains a nitrogen atom and said nitrogen atom is attached to A², then A² is C₂₋₄alkylene;
- if R¹ is N(H)C(O)O-C₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or a heterocyclic moiety selected from the group consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy or cyano, then R² is H or C₁₋₃alkyl;
- if R² is -N(H)C(O)O-C₁₋₄alkyl, C₁₋₄alkyl-N(H)C(O)O- or a heterocyclic moiety selected from the group consisting of thienyl, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolyl,

USSN 10/662,493

CT2752NP

imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl, morpholino, adamantyl, indolyl, isoindolyl, indolinyl, quinolinyl, dihydroquinolinyl, tetrahydroquinolinyl, isoquinolinyl, dihydroisoquinolinyl and tetrahydroisoquinolinyl, wherein said heterocyclic moieties are optionally substituted with halo, C₁₋₄alkyl, C₁₋₄alkoxy or cyano, then R¹ is H or C₁₋₃alkyl;

if A^4 or R^4 are attached to X, then X is C; if A^4 or R^4 are attached to X^1 , then X^1 is C.

- 55. (original) A pharmaceutically acceptable formulation comprising a compound according to claim 1.
- 56. (previously amended) A method of treating depression, attention deficit hyperactivity disorder, obsessive-compulsive disorder, and sexual dysfunction comprising the administration to a human in need thereof an effective amount of a pharmaceutically acceptable formulation comprising a compound according to claim 1.
- 57. (original) A method of treating sexual dysfunction comprising the administration to a human in need thereof an effective amount of a pharmaceutically acceptable formulation comprising a compound according to claim 1.
- 58. (original) A method of treating premature ejaculation comprising the administration to a human in need thereof an effective amount of a pharmaceutically acceptable formulation comprising a compound according to claim 1.
- 59. (original) A compound or pharmaceutically acceptable salt or solvate thereof selected from the group consisting of
 - trans-3-(2-dimethylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
 - trans-3-(2-methylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
 - trans-3-(2-ethylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
 - trans-3-(2-diethylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
 - trans-3-{2-[(ethyl-methyl-amino)-methyl]-cyclopentyl}-1H-indole-5-carbonitrile;
 - trans-3-(2-pyrrolindin-1-ylmethyl-cyclopentyl)-1H-indole-5-carbonitrile;
 - trans-3-{2-[(benzyl-methyl-amino)-methyl]-cyclopentyl}-1H-indole-5-carbonitrile;

- trans-3-(2-dimethylaminomethyl-cyclopentyl)-1-methyl-1H-indole-5-carbonitrile;
- trans-3-(2-dimethylaminomethyl-cyclopentyl)-1-ethyl-1H-indole-5-carbonitrile;
- trans-5-(2-dimethylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- trans-5-(2-methylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- trans-5-(2-pyrrolidin-1-ylmethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- trans-5-(2-ethylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- trans-5-{2-[(ethyl-methyl-amino)-methyl]-cyclopentyl}-1H-indole-3-carbonitrile;
- trans-5-(2-diethylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- trans-5-{2-[(benzyl-methyl-amino)-methyl]-cyclopentyl}-1H-indole-3-carbonitrile;
- trans-5-(2-dimethylaminomethyl-cyclopentyl)-1-methyl-1H-indole-3-carbonitrile;
- cis-5-(2-methylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- cis-5-(2-dimethylaminomethyl-cyclopentyl)-1H-indole-3-carbonitrile;
- (1R, 2R)-3-(2-dimethylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
- (1S, 2S)-3-(2-dimethylaminomethyl-cyclopentyl)-1H-indole-5-carbonitrile;
- (+) trans-3-[2-(1-dimethylaminoethyl)cyclopentyl]-1H-indole-5-carbonitrile;
- (-) trans-3-[2-(1-dimethylaminoethyl)cyclopentyl]-1H-indole-5-carbonitrile;
- (+) trans-3-[2-(1-dimethylaminopropyl)cyclopentyl]-1H-indole-5-carbonitrile;
- (-) trans-3-[2-(1-dimethylaminopropyl)cyclopentyl]-1H-indole-5-carbonitrile:
- (1S, 2S)-[2-(5-iodo-1H-indol-3-yl)-cyclopentylmethyl]-dimethylamine;
- 3-(2-dimethylamino-cyclopentylmethyl)-1*H*-indole-5-carbonitrile;
- 3-(2-methylamino-cyclopentylmethyl)-1*H*-indole-5-carbonitrile;
- 3-(2-ethylamino-cyclopentylmethyl)-1*H*-indole-5-carbonitrile;
- 3-(2-diethylamino-cyclopentylmethyl)-1H-indole-5-carbonitrile;
- 3-[2-(ethyl-methyl-amino)-cyclopentylmethyl]-1H-indole-5-carbonitrile;
- 3-(2-pyrrolidin-1-yl-cyclopentylmethyl)-1H-indole-5-carbonitrile; and
- 3-[2-(benzyl-methyl-amino)-cyclopentylmethyl]-1*H*-indole-5-carbonitrile.